COMPATIBILITY OF MORPHINE SULFATE WITH TWO ADDITIONAL DRUGS IN A SYRINGE DRIVER

IF MORE THAN THREE MEDICATIONS ARE REQUIRED IN THE SYRINGE DRIVER, PLEASE SEEK SPECIALIST ADVICE

Compatible but use with caution			Incompatible			Avoid – drugs have similar effects			Avoid – same class of drug			Avoid, Antagonistic	
Compatibility in WFI= Water for injection NaCI= Sodium chloride 0.9%	Clonazepam [*]	Cyclizine	Dexamethasone	Glycopyrronium	Haloperidol	Hyoscine Butylbromide	Hyoscine hydrobromide	Levomepromazine	Metoclopramide	Midazolam	Octreotide	Ondansetron	
Clonazepam*		WFI				NaCl		WFI/NaC					
Cyclizine	WFI		WFI		WFI					WFI			
Dexamethasone		WFI			NaCl				NaCl				
Glycopyrronium								NaCl		WFI/NaCI			
Haloperidol		WFI	NaCl			WFI/NaCl	NaCl		WFI/NaCI	WFI/NaCI	WFI/NaCI		
Hyoscine Butylbromide	NaCl				WFI/NaCI			WFI/NaC		WFI/NaCI	NaCl	NaCl	
Hyoscine Hydrobromide					NaCl			NaCl		WFI/NaCI	NaCl		
Levomepromazine	WFI/NaCI			NaCl		WFI/NaCl	NaCl			WFI/NaCI		NaCl	
Metoclopramide			NaCl		WFI/NaCI					WFI/NaCI		NaCl	
Midazolam		WFI		WFI/NaCI	WFI/NaCI	WFI/NaC	WFI/NaC		WFI/NaCI		NaCl		
Octreotide					WFI/NaCI	NaCl	NaCl			NaCl			
Ondansetron						NaCl		NaCl	NaCl				

^{*} Non PVC tubing must be used with all syringe drivers containing clonazepam.

References: Twycross R. et al., PCF5, September 2014; Dickman A, et al. The Syringe Driver 3rd edition.